waterlink

Product Guide

Swim School Facilities

LTS-Labelled Products

Support future growth with Waterlink's expandable water treatment systems. Designed for commercial and community aquatic facilities preparing for increased bather loads or staged upgrades, our modular commercial pool systems provide scalable performance, enhanced automation, and adaptable water-treatment capacity.

Synergy LTS
Expandable Capacity, Low-pressure AOP

Code	Description	Cat
LTS150	Synergy LTS150 Expandable AOP UV	C
LTS250	Synergy LTS250 Expandable AOP UV	C
LTS350	Synergy LTS350 Expandable AOP UV	C

Upgrade Options: Available Upon Request

Envirogen LTS
Expandable Capacity

Code	Description	Cat
ELTS300	Envirogen 300g/hr Commercial Chlorinator Module 2750ppm	C
ELTS500	Envirogen 500g/hr Commercial Chlorinator Module 2750ppm	C
ELTS650	Envirogen 650g/hr Commercial Chlorinator Module 2750ppm	C

Upgrade Options: Probe Kits, Dosing Pumps, Remote Monitoring

Onsite Chlorine Generation

Envirogen Series
Salt or Magnesium

The Envirogen units combine a chlorine generator with an advanced control system. Choose from options with chlorine only control, pH control, or both. With 4 programmable GPOs and 4 relays, they handle tasks like CO2 dosing and heating control. Automation can be sensor-based or timer-based.

Envirogen
Standard Salinity 3000ppm

Code	Description	Cat
E75	Envirogen 75g/hr	C
E125	Envirogen 125g/hr	C
E175	Envirogen 175g/hr	C
E250	Envirogen 250g/hr	C
E500	Envirogen 500g/hr	C

Envirogen
Low Salinity 1750ppm

Code	Description	Cat
E50LS	Envirogen 50g/hr	C
E100LS	Envirogen 100g/hr	C
E200LS	Envirogen 200g/hr	C
E400LS	Envirogen 400g/hr	C

Upgrade Options: Probe Kits, Dosing Pumps, Remote Monitoring

Primary Sanitation

Our advanced dosing systems deliver optimal water quality across a variety of aquatic environments.

Hydro Touch
Domestic & Light Commercial Chemical Dosing System

Hydro Touch pH & ORP controllers provide the ultimate solution for high-performance precision dosing, ideal for both residential and commercial use with pools & spas up to 160,000 litres.

Code	Description	Cat
CHYT0454AU	Hydro Touch pH & ORP Controller · 1x pump for Liquid Acid · 1x Chlorine GPO and Gold ORP Probe for Salt Chlorinator, with timer	D
CHYT0444AU	Hydro Touch pH & ORP Controller · 2x pumps (Liquid Chlorine & Acid) · Standard ORP Probe, with timer	D
CHYT0434AU	Hydro Touch pH & Free Chlorine Controller · 1x pump for Liquid Acid · 1x Chlorine GPO, with timer	D
CHYT0433AU	Hydro Touch pH & Free Chlorine Controller · 2x pumps (Liquid Chlorine & Acid) · Standard Free Chlorine Probe, with timer	D

Primary Sanitation

Our advanced dosing systems deliver optimal water quality across a variety of aquatic environments.

Tere'O Touch
Chemical Dosing System

Tere'o Touch is an automated chemical control system for domestic and commercial pools and spas. It provides options for monitoring free or active chlorine, pH, and more, with touchscreen operation and remote monitoring available. It is suitable for indoor and outdoor pool and spa applications that require reliable chemical dosing control.

Code	Description	Cat
TERA	**Active Chlorine and pH Sensors.** Suitable for indoor pools or spas with Bromine, Chlorine (all types), or Salt Chlorinator. Cyanuric MUST BE 0ppm or less than 2ppm. Complete with pH & chlorine output. Compatible with by-products of electrolysis (salt chlorination).	C
TERF	**Free Chlorine and pH Sensors.** Used for Outdoor pools or spas with bromine, Chlorine (all types), or salt chlorination. Cyanuric acid MUST BE 20-40ppm. Complete with pH & chlorine output. Compatible with by-products of electrolysis (salt chlorination).	C

Upgrade Options: Remote Monitoring, temperature & dosing pumps

Odi Touch
Chemical Dosing System

ODI Touch is an automated chemical control system for domestic and commercial pools and spas. It provides options for monitoring free or active chlorine, pH, and temperature, and can also measure total chlorine, conductivity, and more. With touchscreen operation and remote monitoring available, it is suitable for indoor and outdoor pool and spa applications that require reliable chemical dosing control.

Code	Description	Cat
ODIA	**Active chlorine, pH, and temperature sensors.** Suitable for indoor pools or spas with bromine, chlorine (all types), or salt chlorination. Indoor pool or spa Cyanuric acid MUST BE 0ppm or less than 2ppm. Compatible with by-products of electrolysis (salt chlorination). Complete with pH & chlorine output.	C
ODIAT	**Active chlorine, Total chlorine, pH, and temperature sensors.** Suitable for indoor pools or spas with bromine, chlorine (all types). Indoor pool or spa Cyanuric acid MUST BE 0ppm or less than 2ppm. Complete with pH & chlorine output.	C
ODIATS	**Active chlorine, Total chlorine, pH, and temperature sensors.** Suitable for indoor pools or spas with bromine, chlorine (all types), or salt chlorination. Indoor pool or spa Cyanuric acid MUST BE 0ppm or less than 2ppm. Compatible with by-products of electrolysis (salt chlorination). Complete with pH & chlorine output.	C
ODIF	**Free chlorine, pH, and temperature sensors.** Outdoor pools or spas Cyanuric acid MUST BE 20-40ppm. Compatible with by-products of electrolysis (salt chlorination). Complete with pH & chlorine output.	C
ODIFT	**Free chlorine, Total chlorine, pH, and temperature sensors.** Outdoor pools or spas Cyanuric acid MUST BE 20-40ppm. Not suitable for by-products of electrolysis (salt chlorination). Complete with pH & chlorine output.	C
ODIFTS	**Free chlorine, Total chlorine, pH, and temperature sensors.** Outdoor pools or spas Cyanuric acid MUST BE 20-40ppm. Compatible with by-products of electrolysis (salt chlorination). Complete with pH & chlorine output.	C

Secondary Disinfection

Synergy Series

Our Synergy series combines Advanced Oxidation Processes (AOP) with ozone and UV technologies to effectively neutralize pathogens like Cryptosporidium, E. coli, and Giardia, while significantly reducing chloramine levels and unpleasant pool odours.

Upgrade Options: Available Upon Request

Synergy Econ
Low-Pressure AOP

Code	Description	Cat
WSE200	Synergy Econ 200w LPUV and 1.0g/hr Ozone, 6" PVC Chamber	C
WSE250	Synergy Econ 200w LPUV and 1.0g/hr Ozone, 8" PVC Chamber	C
WSE300	Synergy Econ XL 300w LPUV and 1.0g/hr Ozone, 8" PVC Chamber	C
WSE440	Synergy Econ XL 440w LPUV and 1.0g/hr Ozone, 10" PVC Chamber	C
AOPBOOST	AOP Booster Pump Kit	C

Synergy MP
Titanium Chamber & Medium-Pressure AOP

Code	Description	Cat
SPMP1000	1kW Medium Pressure UV, 4g/hr Ozone	C
SPMP2000	2kW Medium Pressure UV, 6g/hr Ozone	C
AOPBOOST	AOP Booster Pump Kit	C

MP UV
Titanium Chamber & Medium-Pressure UV

Code	Description	Cat
MPUV600	0.6kW MPUV	C
MPUV1000	1kW MPUV	C
MPUV2000	2kW MPUV	C

Filtration Sub-boards

Waterlink specialises in the design and supply of commercial water treatment sub-boards for swimming pools, spas, plunge pools and aquatic facilities. Our filtration sub-boards are built to simplify plant room operation by integrating control and automation functions into a clear, installation-ready package.

Depending on the project requirements, Waterlink sub-boards can control or interface with filtration pumps, VSDs, backwash systems, pool make-up water, chemical dosing equipment, level sensors, flow switches, UV systems, BMS points and remote monitoring equipment.

Automating these core functions helps reduce operator workload, improve system reliability, conserve water and chemicals, and remove unnecessary human error from day-to-day plant operation. Each system can be custom-designed for the project or adapted from Waterlink's standard filtration sub-board range.

Spa Touch Panels

Our Spa Touch Panels represent a range of user-friendly control interfaces, meticulously crafted for spa enthusiasts. Positioned conveniently near the spa or floor-mounted on the spa deck, these control panels empower bathers to effortlessly manage their spa experience. With quick access to control spa jets, the blower, and an emergency stop function, these panels prioritise safety and ensure an enjoyable spa experience.

SPA 316SS Touch Panel

Code	Description	Cat
W2HPBP_ACKIT	Waterlink stainless steel 2 hole push button panel accessory kit	C
W3HPBP_ACKIT	Waterlink stainless steel 3 hole push button panel accessory kit	C
W4HPBP_ACKIT	Waterlink stainless steel 4 hole push button panel accessory kit	C

SPA Acrylic Touch Panel

Code	Description	Cat
WACPBP2_ACKIT	White Acrylic 2 hole push button panel accessory kit	C
WACPBP3_ACKIT	White Acrylic 3 hole push button panel accessory kit	C
WACPBP4_ACKIT	White Acrylic 4 hole push button panel accessory kit	C
WESTP_PNL	Waterlink Emergency stop push button panel	C
SPA10CC4TP	10 core cable to suit Waterlink touch panels (price per metre)	C

Service & Spare Parts

We provide expert service and genuine spare parts for all products in this brochure, as well as many discontinued models. Our team can supply rebuild kits, reagents, and other components to keep your equipment operating at its best.



Advanced Water Treatment and Automation for Facilities of All Sizes

Waterlink empowers the aquatic industry with dependable, easy-to-use equipment that improves water quality, operational consistency and long-term performance.

With a focus on quality, automation and durability, we support our partners in building better systems by supplying trusted components that perform reliably, day after day.

Our products form the foundation of efficient, scalable aquatic systems, designed to integrate seamlessly across a broad range of facilities and operating environments. Whether for a new installation or an upgrade to an existing site, our range includes solutions tailored to meet the needs of your facility.

Backed by decades of industry experience, we take pride in delivering quality through technical expertise, high-performance equipment and responsive service. Our systems are developed to meet Australian standards, with a focus on operational efficiency and sustainable water management.

Most importantly it can remove human error from the plant room. Systems can be custom designed or adapted from our stock range.

Applications

Our product range is suitable for all Domestic & Commercial Aquatic Environments, including Common Pools in buildings, Retirement Villages, Hotels, Hospital Pools, Learn to Swim, Council Pools, School Pools, Aquatic Centres, Government facilities, Gyms, & Wellness Centres.

System Compatibility

Compatible with most swimming pool systems.
Integration support available via Waterlink's technical team.

Support & Service

Our experienced technical team is available for both scheduled servicing and priority support. We also offer product training and detailed guides to ensure your staff are confident operating and maintaining the system from day one.

Warranty

Waterlink systems are built for durability. This product is backed by our standard commercial warranty. For full warranty terms and coverage, please visit **www.waterlink.com/warranty**

waterlink

Need More Information?

If you're unsure about which product of our range is the right fit for your facility, our team is here to help.
Contact us for more details or to request a tailored recommendation.

1300 897 200 sales@waterlink.com www.waterlink.com

Waterlink Equipment Pty Ltd | Head Office: Factory 2, 40 Titan Drive Carrum Downs, VIC 3201 Australia

Last updated: 26/06/2026