



Tere'O Touch

Chemical Dosing System

Tere'O Touch

Chemical Dosing System

Tere'O Touch is an automated chemical control system for domestic and commercial pools and spas. It provides options for monitoring free or active chlorine, pH, and more, with touchscreen operation and remote monitoring available. It is suitable for indoor and outdoor pool and spa applications that require reliable chemical dosing control.



Key Benefits

- Options for monitoring free or active chlorine, pH and temperature
- One output for FAC, one output for pH (outputs can be configured to be either 230VAC powered or volt-free)
- Basic but Intuitive touch-screen controller
- User-friendly interface with adaptable configurations for various pool volumes and actions
- Dosing stops on high/low alarms, with programmable maximum daily dosing time
- Compatible with all chlorine types: stabilised chlorine, liquid chlorine, salt chlorination, pellets
- Versatile multi-parameter control
- Continuous self-diagnosis for optimal efficiency
- Various regulation types: PID (cycle or pulse), on/off, threshold, hysteresis

Applications

The Tere'O Touch is suitable for all domestic and commercial aquatic environments, including:

- Residential pools and spas
- Commercial and public aquatic facilities
- Hotels, resorts and hospitality venues
- Learn-to-swim schools and educational facilities
- Healthcare, fitness and wellness centres
- Government and community facilities



Models

Code	Description
TERA	Active Chlorine and pH Sensors. Suitable for indoor pools or spas with Bromine, Chlorine (all types), or Salt Chlorinator. Cyanuric MUST BE 0ppm or less than 2ppm. Complete with pH & chlorine output. Compatible with by-products of electrolysis (salt chlorination).
TERF	Free Chlorine and pH Sensors. Used for Outdoor pools or spas with bromine, Chlorine (all types), or salt chlorination. Cyanuric acid MUST BE 20-40ppm. Complete with pH & chlorine output. Compatible with by-products of electrolysis (salt chlorination).



System Compatibility

Compatible with most swimming pool systems. Integration support available via Waterlink's technical team.



Warranty

Waterlink systems are built for durability. This product is backed by our standard commercial warranty. For full warranty terms and coverage, please visit www.waterlink.com/warranty

Upgrade Options

- Temperature sensor
- Remote monitoring system (via Ethernet or SIM communication)
- Bi-directional remote access available via BMS
- USB port for data export or software update



Looking for More Solutions?

Hydro Touch

Hydro Touch pH & ORP Controllers. For both residential & commercial pools & spas up to 160,000 litres.

Odi Touch

An automated chemical control system for domestic and commercial pools and spas. It provides options for monitoring free or active chlorine, pH, and temperature, and can also measure total chlorine, conductivity, and more. With touchscreen operation and remote monitoring available, it is suitable for indoor and outdoor pool and spa applications that require reliable chemical dosing control. Odi Touch is available in 6 options.

Contact our team to receive a tailored quote:  1300 897 200  sales@waterlink.com



Need More Information?

If you're unsure about which product of our range is the right fit for your facility, our team is here to help.
Contact us for more details or to request a tailored recommendation.

 1300 897 200  sales@waterlink.com  www.waterlink.com

Waterlink Equipment Pty Ltd | Head Office: Factory 2, 40 Titan Drive Carrum Downs, VIC 3201 Australia

Last updated: 15/06/2026