



Product Guide

Swim School Facilities

LTS-Labelled Products

Our LTS-labelled products deliver smart, cost-effective approach to pool disinfection by combining primary and secondary treatment into one streamlined system. Engineered for long-term reliability and easy scalability, these systems simplify water management while maintaining exceptional water quality.

As demand grows, the modular design allows for straightforward upgrades, so you can expand capacity and performance by adding components to suit increasing bather loads.

Synergy LTS AOP Expandable Capacity, Low-pressure AOP

Code	Inclusions	Cat
LTS1	Synergy LTS150 MSA + 1 LP Ballast +03	C
LTS2	Synergy LTS250 MSA + 2 LP Ballast +03	C
LTS3	Synergy LTS350 MSA + 3 LP Ballast +03	C

 Upgrade Options: Remote Monitoring



Envirogen LTS Expandable Capacity

Code	Inclusions	Cat
ELTS180	Envirogen 180g/hr Commercial Chlorinator Module 180ppm	C
ELTS280	Envirogen 280g/hr Commercial Chlorinator Module 280ppm	C
ELTS380	Envirogen 380g/hr Commercial Chlorinator Module 380ppm	C

 Upgrade Options: Available Upon Request



Onsite Chlorine Generation

Envirogen Series Salt or Magnesium

The Envirogen units combine a chlorine generator with an advanced control system. Choose from options with chlorine only control, pH control, or both. With 4 programmable GPOs and 4 relays, they handle tasks like CO2 dosing and heating control. Automation can be sensor-based or timer-based.



Envirogen Standard Salinity 3000ppm

Code	Inclusions	Cat
E75	Envirogen 75g/hr	C
E125	Envirogen 125g/hr	C
E175	Envirogen 175g/hr	C
E250	Envirogen 250g/hr	C
E500	Envirogen 500g/hr	C

Envirogen Low Salinity 1750ppm

Code	Inclusions	Cat
E50LS	Envirogen 50g/hr	C
E100LS	Envirogen 100g/hr	C
E200LS	Envirogen 200g/hr	C
E400LS	Envirogen 400g/hr	C

Upgrade Options: Probe Kits, Dosing Pumps, Remote Monitoring

Primary Sanitation

Our advanced dosing systems deliver optimal water quality across a variety of aquatic environments.

Hydro Touch Domestic & Light Chemical Dosing Systems

Hydro Touch pH & ORP controllers provide the ultimate solution for high-performance precision dosing, ideal for both residential and commercial use with pools & spas up to 160,000 litres.



Code	Inclusions	Cat
CHYT0454AU	Hydro Touch pH & ORP Controller · 1x pump for Liquid Acid · 1x Chlorine GPO and Gold ORP Probe for Salt Chlorinator, with timer	D
CHYT0444AU	Hydro Touch pH & ORP Controller · 2x pumps (Liquid Chlorine & Acid) · Standard ORP Probe, with timer	D
CHYT0434AU	Hydro Touch pH & ORP Controller · 1x pump for Liquid Acid · 1x Chlorine GPO and Gold ORP Probe for Salt Chlorinator, with timer	D
CHYT0433AU	Hydro Touch pH & Free Chlorine Controller · 2x pumps (Liquid Chlorine & Acid) · Standard Free Chlorine Probe, with timer	D

Primary Sanitation

Our advanced dosing systems deliver optimal water quality across a variety of aquatic environments.

Tere'O Touch Commercial Chemical Dosing System

Tere'o Touch is a precise monitoring and dosing system that provides options for monitoring free or active chlorine, pH and temperature.



Code	Inclusions	Cat
TERA	Active Chlorine Sensor Suitable for indoor pools with bromine, liquid chlorine, or salt chlorinator. Cyanuric acid MUST BE 0 ppm or less than 2 ppm.	C
TERF	Free Chlorine Sensor Tolerable to cyanuric acid to 40 ppm. Not suitable for use with by-products of electrolysis (salt chlorination).	C

 Upgrade Options: Remote Monitoring

Odi Touch Commercial Chemical Dosing System

The Odi Touch is a versatile and multi-parameter monitoring & dosing system, offering up to 8 parameters for precise water analysis. It provides options for monitoring free or active chlorine, total chlorine, pH, conductivity, temperature, and more.



Code	Inclusions	Cat
ODIA	Active Chlorine Sensor Used for indoor pools with bromine, liquid chlorine, or salt chlorinator. Cyanuric acid MUST be 0 ppm or less than 2 ppm.	C
ODIAT	Active Chlorine, Total Chlorine pH & Temp Sensor Used for indoor pools with bromine, liquid chlorine complete with pH & liquid chlorine output. Cyanuric acid MUST BE 0 PPM.	C
ODIATS	Active Chlorine, Total Chlorine pH & Temp Sensor Used with salt chlorination complete with pH & chlorine output. Cyanuric acid MUST BE 0 PPM.	C
ODIF	Free Chlorine Sensor Highly accurate. Tolerable to cyanuric acid to 40 ppm. Not suitable for by-products of electrolysis (salt chlorination).	C
ODIFT	Free Chlorine, pH, Temperature, and Total Chlorine Sensor Highly accurate. Tolerant to cyanuric acid up to 40 ppm. Not suitable for by-products of electrolysis (salt chlorination).	C
ODIFTS	Free Chlorine, pH, Temperature, and Total Chlorine Sensor Highly accurate. Tolerant to cyanuric acid up to 40 ppm. Compatible with by-products of electrolysis (salt chlorination).	C

Secondary Disinfection

Synergy Series

Our Synergy series combines Advanced Oxidation Processes (AOP) with ozone and UV technologies to effectively neutralize pathogens like Cryptosporidium, E. coli, and Giardia, while significantly reducing chloramine levels and unpleasant pool odours.



Synergy Econ Low-Pressure AOP

Code	Inclusions	Cat
WSE200	Synergy Econ 200w LPUV and 1.0g/hr Ozone, 6" PVC Chamber	C
WSE250	Synergy Econ 200w LPUV and 1.0g/hr Ozone, 8" PVC Chamber	C
WSE300	Synergy Econ XL 300w LPUV and 1.0g/hr Ozone, 8" PVC Chamber	C
WSE440	Synergy Econ XL 440w LPUV and 1.0g/hr Ozone, 10" PVC Chamber	C
AOPBOOST	AOP Booster Pump Kit	C



Synergy Pro MP Titanium Chamber & Medium-Pressure AOP

Code	Inclusions	Cat
SPMP1000	1kW Medium Pressure UV, 4g/hr Ozone	C
SPMP2000	2kW Medium Pressure UV, 6g/hr Ozone	C
AOPBOOST	AOP Booster Pump Kit	C



Synergy Pro MP UV Titanium Chamber & Medium-Pressure UV

Code	Inclusions	Cat
MPUV600	0.6kW MPUV	C
MPUV1000	1kW MPUV	C
MPUV2000	2kW MPUV	C



Filtration Sub-boards

Waterlink specialise in the construction of Water Treatment Sub Boards. Builders Packages can incorporate design and construction ready for installation. Automating such tasks as Backwashing, Pool Make-up, Chemical dosing and VSD control can save time, water, chemicals and money. Most importantly it can remove human error from the plant room. Systems can be custom designed or adapted from our stock range.



Spa Touch Panels

Our Spa Touch Panels represent a range of user-friendly control interfaces, meticulously crafted for spa enthusiasts. Positioned conveniently near the spa or floor-mounted on the spa deck, these control panels empower bathers to effortlessly manage their spa experience. With quick access to control spa jets, the blower, and an emergency stop function, these panels prioritise safety and ensure an enjoyable spa experience.

SPA 316SS Touch Pane


Code	Inclusions	Cat
W2HPBP_ACKIT	Waterlink stainless steel 2 hole push button panel accessory kit	C
W3HPBP_ACKIT	Waterlink stainless steel 3 hole push button panel accessory kit	C
W4HPBP_ACKIT	Waterlink stainless steel 4 hole push button panel accessory kit	C

SPA Acrylic Touch Panel

Code	Inclusions	Cat
WACPBP2_ACKIT	White Acrylic 2 hole push button panel accessory kit	C
WACPBP3_ACKIT	White Acrylic 3 hole push button panel accessory kit	C
WACPBP4_ACKIT	White Acrylic 4 hole push button panel accessory kit	C
WESTP_PNL	Waterlink Emergency stop push button panel	C
SPA10CC4TP	10 core cable to suit Waterlink touch panels (price per metre)	C

Service & Spare Parts

We provide expert service and genuine spare parts for all products in this brochure, as well as many discontinued models. Our team can supply rebuild kits, reagents, and other components to keep your equipment operating at its best.



Your Trusted Partner in Commercial Aquatic Systems

Waterlink empowers the commercial aquatic industry with dependable, easy-to-use equipment that improves water quality, operational consistency and long-term performance.

With a focus on quality, automation and durability, we support our partners in building better systems by supplying trusted components that perform reliably, day after day.

Our products form the foundation of efficient, scalable aquatic systems, designed to integrate seamlessly across a broad range of facilities and operating environments. Whether for a new installation or an upgrade to an existing site, our range includes solutions tailored to meet the needs of your facility.

Backed by decades of industry experience, we take pride in delivering quality through technical expertise, high-performance equipment and responsive service. Our systems are developed to meet Australian standards, with a focus on operational efficiency and sustainable water management.

Most importantly it can remove human error from the plant room. Systems can be custom designed or adapted from our stock range.



Applications

Our product range is suitable for all Domestic & Commercial Aquatic Environments, including Common Pools in buildings, Retirement Villages, Hotels, Hospital Pools, Learn to Swim, Council Pools, School Pools, Aquatic Centres, Government facilities, Gyms, & Wellness Centres.



System Compatibility

Compatible with most commercial pool systems.
Integration support available via Waterlink's technical team.



Support & Service

Our experienced technical team is available for both scheduled servicing and priority support. We also offer product training and detailed guides to ensure your staff are confident operating and maintaining the system from day one.



Warranty

Waterlink systems are built for durability. This product is backed by our standard commercial warranty. For full warranty terms and coverage, please visit www.waterlink.com/warranty



waterlink

Need More Information?

If you're unsure about which product of our range is the right fit for your facility, our team is here to help. Contact us for more details or to request a tailored recommendation.

 1300 897 200

 sales@waterlink.com

 www.waterlink.com

Waterlink Equipment Pty Ltd | Head Office: Factory 2, 40 Titan Drive Carrum Downs, VIC 3201 Australia

Last updated: 21/08/2025